




10 Series


1-Piece Body Design

- Reduced Bore**
- Sizes 1/4" - 2"
- 800 WOG
- Available in SS316 body only
- Threaded End
- Investment Casting
- Compact Design
- Blowout-Proof Stem
- Standard Seat:**
- PTFE (max.180°C)
- Lockable Handle

ValveWerkz 10 series ball valves feature a high quality investment casting body and ends. They are available 1/4" - 2" threaded.

Pressure/Temperature Ratings





Part Name	Material
1. Handle Sleeve	VINYL
2. Handle	SUS304
3. Washer	SUS304
4. Stem Nut	SUS304

Part Name	Material
5. Stem Packing	PTFE
6. Stem	SUS316
7. Body	SUS316
8. Insert	SUS316

Part Name	Material
9. Seat	PTFE
10. Ball	SUS316
11. Bushing	SUS304

Dimensions(mm)

Size(Inch)	ØD	E	F	H	L	CV	Weight(kg)
¼"	5	61	19	31	39	6	0.07
⅜"	7	72	21	36	44	7	0.12
½"	9.2	85	27.5	41	56.5	10	0.19
¾"	12.5	85	30	44	59	19	0.27
1"	16	101	36	48	71	42	0.43
1 ¼"	20	101	40	54	78	60	0.72
1 ½"	25	125	42.5	65	83	125	0.87
2"	32	125	51	72	100	165	1.36

The information provided in this document is intended for informational purposes only and is subject to change without notice.

REQUEST FOR QUOTE

**STEP 1**

Find the model series

**STEP 2**

Define the specification/
valve code

**STEP 3**

Fill up ordering sheet (back of the brochure) or Scan the QR code below

**STEP 4**

Submit your order via our website or contact your local partner

**STEP 5**

Prepare for confirmation and delivery

*For further assistance with placing your order, please contact your local partner.
A sales engineer will be assigned to assist you.

Valve Coding Sheet 10 Series

01	02	03	04	05	06
S2	T	A			L
Body Material	Seat Material	Rating	Size	Connection	Operation
Code Material S2 SS316	Code Material T PTFE	Code Rating A 800WOG	Code Material A 1/4" B 3/8" C 1/2" D 3/4" E 1" F 1 1/2" G 2"	Code Material B BSP N NPT	Code Type L Lever

Your Valve Ordering Code:

10	01	02	03	04	05	06
	S2	T	A			L

Example:

10 Series - S2TABBL.
SS316 Material. PTFE Seat. Pressure Rating of 800WOG, 3/8 inch size. Connection Type of BSPT - Tapered. Lever Operating type.

*For special material or customisation, please refer to our sales engineer.



SCAN FOR ONLINE
ORDERING FORM

Tel: +65 6909 1221
Email: enquiry@valvewerkz.com
Website: www.valvewerkz.com